

Precautions

- 5 Incubation period of scabies can last up to several weeks. Family members and carers should also seek medical advice.
- 6 The itchiness can last for up to 4 weeks even if the scabies has been treated. If the symptoms still occur or there are other changes of the skin, patient should seek medical advice immediately.
- 7 Avoid contact with eyes. If the emulsion accidentally gets into eyes, wash immediately with plenty of water and seek medical advice if necessary.
- 8 The emulsion should not be used immediately after a hot bath.
- 9 Discard all medications that have expired or are no longer required.
- 10 Do not share the medication with other people.
- 11 Tell your doctor and pharmacist if you are pregnant, planning to become pregnant, or breastfeeding.
- 12 Please consult your doctor if symptoms persist or worsen after using the medication.

What are the possible side effects?



The common side effects include skin itchiness, redness and contact dermatitis, etc.

If you notice any allergic reactions like skin itchiness, face or hand swelling, breathing difficulty, etc., consult your doctor immediately.

What if I miss a dose?



Use the missed dose as soon as you remember. The treatment effect will be compromised if it is too far from the first dose. If symptoms persist, please seek medical advice.

How to store?



1. Keep out of reach of children.
2. Store in a cool, dry place and away from direct heat and light.



The information in this leaflet is compiled by the Hospital Authority (HA) for general educational purpose and reference only. Whilst efforts have been made to ensure accuracy, no guarantee can be provided as to the completeness, timeliness or usefulness of the information, or that the information is the most updated. HA cannot warrant that the information provided can meet your health or medical requirements. Always seek the advice of your doctor or pharmacist for any medical condition that you may have, rather than relying only on the information provided on this leaflet

Benzyl Benzoate Emulsion (for Scabies)



藥劑職系及服務統籌委員會
COC-Grade (Pharmaceutical Services)



醫院管理局
HOSPITAL
AUTHORITY

What is Benzyl Benzoate Emulsion?



Benzyl benzoate emulsion is a liquid preparation to be applied on the skin for the treatment of scabies.



What is Scabies?



Scabies is a skin disease caused by a mite which is a parasite that burrows into, resides and reproduces in human skin. Scabies usually spreads through direct skin contact with the infested people. Their clothing and bedding may also carry the mites and eggs which will subsequently transmit the disease. Transmission within household and institutional setting is common.

People infested with scabies will present with intense itchiness which appears to be more severe at night or after a bath. The commonly affected areas include finger webs and skin folds of wrists, elbows, armpits, nipples, lower abdomen, external genitalia, buttocks and groins. Rashes, thread-like lesions or vesicles may be seen on the skin; face and scalp are usually spared.

How to use?



- 1 Take a warm bath or shower at night. Dry the body thoroughly.
2. The emulsion should be shaken well before use.
3. Apply the emulsion from the neck down to cover the whole body, paying particular attention to all skin folds, such as between fingers and toes, underarms and groin. Avoid contact with broken skin and sensitive areas. Brush can be used to apply emulsion if needed.
- 4 For scabies affecting area above neck, also apply emulsion to scalp, face, and outer skin of ears. Avoid contact with eyes.
- 5 Allow the emulsion to dry (usually takes about 10 minutes) and then put on clean clothes. Do not wash your hands.
- 6 Leave the emulsion on the body and re-apply on the next day. Do not bath, shower or change clothes before the second application.
- 7 Wash off the emulsion 24 hours after the second application and clean the whole body with soap. Rinse thoroughly with warm water and dry with a clean cloth. Put on clean clothes afterwards.
- 8 Apply the third application if necessary, as instructed by doctor.
- 9 The direction of use from different manufacturers may differ. Follow the instruction on the drug package or as directed by your doctor.




Ask your family members or someone to apply the emulsion for you if necessary. Wear disposable gloves before helping to apply the emulsion.

Precautions

- 1 For external use only. Please seek medical advice immediately if ingested accidentally.
2. If you have history of drug allergy, consult your doctor or pharmacist before using the medication.
3. Re-apply the emulsion to any areas of skin that are washed during the period of application.
- 4 Patient's clothing, bed linen, pillow case, etc., should be washed separately from those of their family members or other old age home residents in hot water (60°C or above) for not less than 10 minutes to kill the mites and their eggs. Place all non-washable personal items such as shoes, mattress, etc., in a plastic bag and seal them up for at least 7 days before they can be used as usual.

60°C
or above

not less than
10 mins



at least
7 days